



2 Stage Stingray RO

Instruction & Owners Manual

7224 Sandscove Court Suite 2
Winter Park, FL 32792
Phone 407-599-2123
Fax 407-599-2124
www.Aquariumwaterfilters.com
www.AquaFX.net



7224 Sandscove Court – Suite #2 – Winter Park, FL 32792

1-877-702-2074

www.aquariumwaterfilters.com

STINGRAY INSTALLATION INSTRUCTIONS


Congratulations on your new Stingray water treatment system from Aqua FX, Inc. We hope your system brings you and your pets many years of service and fresh clean water. There are a few basic steps we wanted to inform you about when it comes to installation and maintenance of your water treatment system. If you should have any difficulties or questions, please do not hesitate to contact us and we will be happy to help you any way we can.

Your system was custom built to order, and it is ready to hook up to a water supply with the appropriate adapters installed. Aqua FX, Inc. pressure tests all systems prior to shipping, so your RO membrane is installed and ready for use. The only work you need to complete, is the unpacking and connection to a supply and drain line. There is no need to open the RO membrane housing until it is time for the next membrane change, approximately two years from now.

- 1) Unpack your unit completely.
- 2) Inspect for any damage or broken parts as a result of shipping.
- 3) Locate and connect the supply side of the equipment. This will be the right side as you face the system. The supply side will consist of **black** ¼” tubing and has the connection for the type of water supply you specified.
- 4) Locate the **yellow** drain line, and place in an appropriate area for drainage.
- 5) Locate the **blue** product water line that will provide treated water for use.
- 6) Once installed, allow the system to run for approximately 15 minutes to flush completely.
- 7) When you notice your flow rate from the RO unit slow considerably, it is time to replace the RO membrane.
- 8) You are now ready to provide clean, fresh water for your pets!

These instructions cover the most common set up configurations. If you ordered different colored tubing you may not be able to follow these instructions completely. All Aqua FX, Inc. systems come with a **3 year limited warranty**. Please contact us if you have problems with your unit. Customer is responsible for filter and membrane changes and associated costs. Aqua FX, Inc. carries a complete line of parts and accessories for all of our systems at www.aquariumwaterfilters.com. Thank you for your business!

STINGRAY



Limited 3 Year Warranty

Aquarium & Home Water Treatment Systems

To be of exceptional quality, hereby warrants equipment to its first purchaser at retail as follows;

This warranty covers filter cartridge housings, fittings and tubing and all components. Filter replacements including sediment cartridges, carbon block cartridges, DI cartridges and Reverse Osmosis membranes are the responsibility of the consumer.

This warranty begins at the time of registration, and must be registered within 10 days of purchase. This warranty does not require replacement of the entire unit. The defective part (s) (or the entire unit) will either be repaired or replaced with new
Parts

This warranty is void if the equipment is not installed and operated according to instructions. It does not apply to damage caused by abuse, accident, neglect, Freezing and/or other abnormal conditions beyond this companies control.

Trouble Shooting Guide

Cloudy or milky colored water:

Bad Membrane
Replace Membrane and sanitize when below 75% rejection
Water Supply has a high oxygen content
System is still new

Water does not taste or smell right

Bad Membrane Replace membrane when 75% rejection and sanitize
Filters have expired. - Replace filters.
Should replace every 6 to 12 months.
System needs sanitizing

Low Water Output

Incoming water pressure is below 40 PSI,
Increase pressure to 40 psi
Bad check valve, Replace check valve, Open valve.
Filters clogged Replace filters
Kinked tube Unkink tube If damaged, replace tube

Accessories

Drinking water kit

Turn your RO/DI system into a drinking and cooking water purifier for your home. Better than bottled water because you control the process.

Handheld TDS Meters

The only true way to check the performance of your system. Check the TDS to detect early membrane exhaustion. Checking the water after the DI cartridge will give you added peace of mind that your reef/salt water system is receiving the quality of water you need.

RO/DI Water Storage Tanks

These tanks are used by many of our customers to store water or to save up sufficient water to begin a new tank. They can be equipped with automatic shutoff valves to reduce waste water.

Membrane Flush Kits

Flush kits are used to extend the life of the membrane by rinsing debris and some of the scale that accumulates over time.

Inline Strainer

Used for people that have high sediment, sand and large particles that may clog up there micron sediment filter prematurely. If you have sediment collecting in your sink faucet screens you could benefit from the inline strainer. They are rinse able and there is no filter to change. Not to be used with a booster pump due to pressure decrease.

Piggy Bank Membrane system

Add a membrane to your existing system to approximately double your Output by recycling your waste water, who could ask for more!

Storage Tank(s)

Many times storage of water is needed or just desired. 40 gallon or larger food grade tanks are available to automatically top off. We can design tanks to your needs!

Other Water Treatment Needs

Aqua also provides you a complete line of whole house water treatment appliances. Whether you are on city water or private well water, Aqua has you covered.

Call with your questions or concerns.

We have a complete engineering department for all of your water Treatment needs.

Notes

Damaged Merchandise:

Aqua Engineering & Equipment, Inc. cannot be held liable for damage to or loss of a shipment by any carrier. Claims for damaged products, suspected damages, container shortages, or pilferage within the container on delivery must be noted on the delivery receipt. The carrier's claims representative should then be notified immediately.

Returned Goods:

Aqua Engineering & Equipment, Inc. cannot assume responsibility for the error of others. Merchandise ordered incorrectly cannot be returned without written authorization. Please contact the Shipping/Receiving department for a Return Materials Authorization (RMA) number. Special /Custom orders or items cannot be returned. Material must be new and in marketable condition. We reserve the right to levy a restocking fee on all goods. We will assume all responsibility for our own errors at no charge to the customer.

Shipping & Receiving
Phone: 407.599.2123
Fax: 407.599.2124

Cancellation or Order Changes:

Orders are processed as they are received. Internet and phone orders must cancel within 24 hours of order time. Any orders which require custom materials or components (i.e. custom tanks, brackets, electrical components) cannot be cancelled once special material has been ordered and/or production has begun.